

# Display Energy Certificate

## How efficiently is this building being used?



HM Government

London School of Economics  
London School of Economics  
Lincoln Chambers  
2-4 Portsmouth Street  
LONDON  
WC2A 2ES

**Certificate Reference Number:**  
0399-7926-5110-9890-2703

This certificate indicates how much energy is being used to operate this building. The operational rating is based on meter readings of all the energy actually used in the building. It is compared to a benchmark that represents performance indicative of all buildings of this type. There is more advice on how to interpret this information on the Government's website [www.communities.gov.uk/epbd](http://www.communities.gov.uk/epbd).

### Energy Performance Operational Rating

This tells you how efficiently energy has been used in the building. The numbers do not represent actual units of energy consumed; they represent comparative energy efficiency. 100 would be typical for this kind of building.

More energy efficient

**A** 0-25

**B** 26-50

**C** 51-75

**D** 76-100

**E** 101-125

**F** 126-150

**G** Over 150


Less energy efficient

55

100 would be typical


### Total CO<sub>2</sub> Emissions

This tells you how much carbon dioxide the building emits. It shows tonnes per year of CO<sub>2</sub>.



### Previous Operational Ratings

This tells you how efficiently energy has been used in this building over the last three accounting periods.



### Technical Information

This tells you technical information about how energy is used in this building. Consumption data based on actual meter readings.

**Main heating fuel:** Natural Gas

**Building environment:** Heating and Mechanical Ventilation

**Total useful floor area (m<sup>2</sup>):** 795

**Asset Rating:** Not available

### Administrative Information

This is a Display Energy Certificate as defined in SI 2007/991 as amended.

<b>Assessment Software:</b>	DCLG, ORCalc, v3.6.2
<b>Property Reference:</b>	295839160000
<b>Assessor Name:</b>	Martin Keane
<b>Assessor Number:</b>	LCEA161231
<b>Accreditation Scheme:</b>	CIBSE Certification Limited
<b>Employer/Trading Name:</b>	Low Carbon Europe Limited
<b>Employer/Trading Address:</b>	Global House, Portland Road, Worthing, BN11 1QH
<b>Issue Date:</b>	20-01-2015
<b>Nominated Date:</b>	19-12-2014
<b>Valid Until:</b>	18-12-2024
<b>Related Party Disclosure:</b>	Contractor to the occupier for EPBD services only.

Recommendations for improving the energy efficiency of the building are contained in the accompanying Advisory Report.

	Heating	Electricity
<b>Annual Energy Use (kWh/m<sup>2</sup>/year)</b>	79	77
<b>Typical Energy Use (kWh/m<sup>2</sup>/year)</b>	241	106
<b>Energy from renewables</b>	0%	0%