

London School of Economics
20 KINGSWAY
London School of Economics & Political
Science
Houghton Street
LONDON
WC2A 2AE

Operational rating

B

Certificate number: 2758-8517-6202-3092-8806

Valid until: 18 January 2024


Total useful floor area: 2142 square metres

Energy performance operational rating

The building's energy performance operational rating is based on its carbon dioxide (CO2) emissions for the last year.

It is given a score and an operational rating on a scale from A (lowest emissions) to G (highest emissions).

The typical score for a public building is 100. This typical score gives an operational rating of D.



This building's energy use		
Energy use	Electricity	Other fuels
Annual energy use (kWh/m2/year)	59.74	72.38
Typical energy use (kWh/m2/year)	118.4	251.08
Energy from renewables	0%	0%

Previous operational ratings	
Date	Operational rating
January 2023	<div>41 B</div>
January 2022	<div>40 B</div>
January 2021	<div>36 B</div>

Total carbon dioxide (CO2) emissions			
This tells you how much carbon dioxide the building emits. It shows tonnes per year of CO2.			
Date	Electricity	Heating	Renewables
January 2023	70	30	0
January 2022	57	34	0
January 2021	53	29	0

Assessment details	
Assessor's name	Martin Keane
Employer/Trading name	Low Carbon Europe Limited
Employer/Trading address	12a Marlborough Place, Brighton BN1 1WN
Assessor's declaration	Not related to the occupier.
Accreditation scheme	CIBSE Certification Limited
Issue date	27 March 2023
Nominated date	19 January 2023

