


London School of Economics & Political Science Passfield Hall 1-7 Endsleigh Place LONDON WC1H 0PW	Operational rating <div>C</div>	Certificate number: 2423-1999-9504-8104-2895
		Valid until: 18 January 2024
		Total useful floor area: 3094 square metres

Energy performance operational rating

The building's energy performance operational rating is based on its carbon dioxide (CO2) emissions for the last year.

It is given a score and an operational rating on a scale from A (lowest emissions) to G (highest emissions).

The typical score for a public building is 100. This typical score gives an operational rating of D.



This building's energy use		
Energy use	Electricity	Other fuels
Annual energy use (kWh/m2/year)	75.04	223.06
Typical energy use (kWh/m2/year)	105	291.55
Energy from renewables	0%	0%

Previous operational ratings	
Date	Operational rating
January 2023	<div>74 C</div>
January 2022	<div>78 D</div>
January 2021	<div>76 D</div>

Total carbon dioxide (CO2) emissions			
This tells you how much carbon dioxide the building emits. It shows tonnes per year of CO2.			
Date	Electricity	Heating	Renewables
January 2023	128	134	0
January 2022	90	201	42
January 2021	90	182	11

Assessment details	
Assessor's name	Martin Keane
Employer/Trading name	Low Carbon Europe Limited
Employer/Trading address	12a Marlborough Place, Brighton BN1 1WN
Assessor's declaration	Contractor to the occupier for EPBD services only.
Accreditation scheme	CIBSE Certification Limited
Issue date	28 March 2023
Nominated date	19 January 2023

