Certificate number:

Total useful floor area:

Valid until:

Display energy certificate (DEC)

痰 <u>HM</u>Government

0923-8223-4187-2720-1270

18 January 2024

5873.0 square metres

London School of Economics Saw Swee Hock Student Centre Sheffield Street LONDON WC2A 2EZ




Energy performance operational rating

The building's energy performance operational rating is based on its carbon dioxide (CO2) emissions for the last year.

It is given a score and an operational rating on a scale from A (lowest emissions) to G (highest emissions).

The typical score for a public building is 100. This typical score gives an operational rating of D.



This building's energy use

Energy use	Electricity	Other fuels
Annual energy use (kWh/m2/year)	103.17	137.12
Typical energy use (kWh/m2/year)	128.36	285.22
Energy from renewables	3.6%	0%

Previous operational ratings

Date	Operational rating
January 2023	66 C
January 2022	48 B
January 2021	61 C

Total carbon dioxide (CO2) emissions

This tells you how much carbon dioxide the building emits. It shows tonnes per year of CO2.

Date	Electricity	Heating	Renewables
January 2023	333	156	12
January 2022	208	161	13
January 2021	240	127	47

Assessment details

Assessor's name	Martin Keane
Employer/Trading name	Low Carbon Europe Limited
Employer/Trading address	12a Marlborough Place, Brighton BN1 1WN
Assessor's declaration	Employed by the occupier.
Accreditation scheme	CIBSE Certification Limited
Issue date	13 March 2023
Nominated date	19 January 2023

https://find-energy-certificate.service.gov.uk/energy-certificate/0923-8223-4187-2720-1270?print=true