

# Display energy certificate (DEC)



London School of Economics & Political Science  
Sardinia House  
51-52 Lincoln's Inn Fields  
LONDON  
WC2A 3LZ

Operational rating

# C

Certificate number: 1706-2817-6272-2597-4706

Valid until: 18 January 2027

Total useful floor area: 2,796 square metres

## Energy performance operational rating

The building's energy performance operational rating is based on its carbon dioxide (CO<sub>2</sub>) emissions for the last year.

It is given a score and an operational rating on a scale from A (lowest emissions) to G (highest emissions).

The typical score for a public building is 100. This typical score gives an operational rating of D.

Score	Operational rating	This building	Typical
0-25	<b>A</b>		
26-50	<b>B</b>		
51-75	<b>C</b>	<b>53 C</b>	
76-100	<b>D</b>		
			100
101-125	<b>E</b>		
126-150	<b>F</b>		
150+	<b>G</b>		

## Previous operational ratings

Date	Operational rating
January 2026	<b>53 C</b>
January 2025	<b>55 C</b>
January 2024	<b>49 B</b>

## Total carbon dioxide (CO<sub>2</sub>) emissions

This tells you how much carbon dioxide the building emits. It shows tonnes per year of CO<sub>2</sub>.

Date	Electricity	Heating	Renewables
January 2026	112	40	0
January 2025	113	43	0
January 2024	98	43	0

## Assessment details

Assessor's name	Martin Keane
Employer/Trading name	Low Carbon Europe Limited
Employer/Trading address	12a Marlborough Place, Brighton, BN1 1WN
Assessor's declaration	Contractor to the occupier for EPBD services only.
Accreditation scheme	CIBSE Certification Limited
Issue date	29 January 2026
Nominated date	19 January 2026

## This building's energy use

Energy use	Electricity	Other fuels
Annual energy use (kWh/m <sup>2</sup> /year)	72.95	73.80
Typical energy use (kWh/m <sup>2</sup> /year)	101.85	238.97
Energy from renewables	0%	0%

